

Novoclean GKM

Novoclean GKM 350

- 70% Polyester / 30% Polyamide Microfiber + Liquid
- Impregnated Degreasing Wiping Material
- For O.E.M. Usage approved

Physical properties

Tests	Orientation	Units	Targets	Methods
Base Weight		g/m ²	100	ERT 40.3-90
Thickness		mm	0.5	ERT 30.4-89
Tensile strength	MD	N/5cm	250	
	CD	N/5cm	250	
Tear resistance	MD	N	7.5	
	CD	N	7.5	
Elongation at break	MD	%	40	ERT 20.2-89
	CD	%	45	

Standard Packaging

Tests	Units	Targets	Methods
Cloth size	cm	32 x 40	
Clothes/bag		25	
Bags/case		12	

Functions

Tests	Units	Targets	Methods
Impregnation Degreaser	cl	300	
Absorption capacity	%	400	ERT 10.3-99

Novoclean GKM is an endless microfilament nonwoven fabric.

Impregnation is performed with a special proprietary water based degreaser. The Microfiber used is a PES/Polyamide ZERO LINT Fabric with extreme tear resistance properties as well as perfect soil and grease retention.

The usage of this product is specifically designed to respond to the needs of the automotive O.E.M. plastic component manufacturers. The degreasing solution formulated by GekateX SAS offers anti static properties, is biodegradable and eliminates usage of V.O.C. emissions like in IPA. Within the formulation an anti static agent also guarantees elimination of static electricity build up. Improvements into the surface treatment process result into very high const-in-use advantages that can mount up to 70%.

We also offer various weights and lower impregnation levels when needed.